



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

## TUBI TONDI ANTICORODAL

LEGA EN AW 6060-6063-6082

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>4</b>	x	<b>6</b>	<b>0,04</b>
<b>TUBO TONDO</b>	<b>5</b>	x	<b>10</b>	<b>0,15</b>
<b>TUBO TONDO</b>	<b>5</b>	x	<b>12</b>	<b>0,25</b>
<b>TUBO TONDO</b>	<b>6</b>	x	<b>8</b>	<b>0,05</b>
<b>TUBO TONDO</b>	<b>6</b>	x	<b>10</b>	<b>0,13</b>
<b>TUBO TONDO</b>	<b>7</b>	x	<b>9</b>	<b>0,06</b>
<b>TUBO TONDO</b>	<b>7</b>	x	<b>10</b>	<b>0,10</b>
<b>TUBO TONDO</b>	<b>8</b>	x	<b>10</b>	<b>0,07</b>
<b>TUBO TONDO</b>	<b>8</b>	x	<b>12</b>	<b>0,16</b>
<b>TUBO TONDO</b>	<b>9</b>	x	<b>12</b>	<b>0,13</b>
<b>TUBO TONDO</b>	<b>10</b>	x	<b>12</b>	<b>0,09</b>
<b>TUBO TONDO</b>	<b>10</b>	x	<b>14</b>	<b>0,20</b>
<b>TUBO TONDO</b>	<b>10</b>	x	<b>15</b>	<b>0,26</b>
<b>TUBO TONDO</b>	<b>10</b>	x	<b>20</b>	<b>0,63</b>
<b>TUBO TONDO</b>	<b>11</b>	x	<b>15</b>	<b>0,22</b>
<b>TUBO TONDO</b>	<b>12</b>	x	<b>14</b>	<b>0,11</b>
<b>TUBO TONDO</b>	<b>12</b>	x	<b>15</b>	<b>0,17</b>
<b>TUBO TONDO</b>	<b>12</b>	x	<b>16</b>	<b>0,23</b>
<b>TUBO TONDO</b>	<b>13</b>	x	<b>15</b>	<b>0,11</b>
<b>TUBO TONDO</b>	<b>13</b>	x	<b>16</b>	<b>0,18</b>
<b>TUBO TONDO</b>	<b>14</b>	x	<b>16</b>	<b>0,12</b>
<b>TUBO TONDO</b>	<b>14</b>	x	<b>18</b>	<b>0,27</b>
<b>TUBO TONDO</b>	<b>14</b>	x	<b>20</b>	<b>0,43</b>
<b>TUBO TONDO</b>	<b>15</b>	x	<b>18</b>	<b>0,27</b>
<b>TUBO TONDO</b>	<b>15</b>	x	<b>20</b>	<b>0,43</b>
<b>TUBO TONDO</b>	<b>15</b>	x	<b>25</b>	<b>0,84</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

## TUBI TONDI ANTICORODAL

LEGA EN AW 6060-6063-6082

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>15</b>	<b>x</b>	<b>30</b>	<b>1,43</b>
<b>TUBO TONDO</b>	<b>15</b>	<b>x</b>	<b>40</b>	<b>2,91</b>
<b>TUBO TONDO</b>	<b>16</b>	<b>x</b>	<b>18</b>	<b>0,14</b>
<b>TUBO TONDO</b>	<b>17</b>	<b>x</b>	<b>19</b>	<b>0,15</b>
<b>TUBO TONDO</b>	<b>17</b>	<b>x</b>	<b>20</b>	<b>0,23</b>
<b>TUBO TONDO</b>	<b>18</b>	<b>x</b>	<b>20</b>	<b>0,16</b>
<b>TUBO TONDO</b>	<b>18</b>	<b>x</b>	<b>22</b>	<b>0,33</b>
<b>TUBO TONDO</b>	<b>19</b>	<b>x</b>	<b>22</b>	<b>0,26</b>
<b>TUBO TONDO</b>	<b>19</b>	<b>x</b>	<b>25</b>	<b>0,55</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>24</b>	<b>0,37</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>22</b>	<b>0,17</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>25</b>	<b>0,47</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>30</b>	<b>1,05</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>40</b>	<b>2,54</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>50</b>	<b>4,45</b>
<b>TUBO TONDO</b>	<b>20</b>	<b>x</b>	<b>60</b>	<b>6,78</b>
<b>TUBO TONDO</b>	<b>21</b>	<b>x</b>	<b>24</b>	<b>0,28</b>
<b>TUBO TONDO</b>	<b>21</b>	<b>x</b>	<b>25</b>	<b>0,39</b>
<b>TUBO TONDO</b>	<b>21</b>	<b>x</b>	<b>27</b>	<b>0,61</b>
<b>TUBO TONDO</b>	<b>22</b>	<b>x</b>	<b>25</b>	<b>0,29</b>
<b>TUBO TONDO</b>	<b>24</b>	<b>x</b>	<b>28</b>	<b>0,44</b>
<b>TUBO TONDO</b>	<b>24</b>	<b>x</b>	<b>30</b>	<b>0,68</b>
<b>TUBO TONDO</b>	<b>24</b>	<b>x</b>	<b>32</b>	<b>0,94</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>28</b>	<b>0,33</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>30</b>	<b>0,58</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>35</b>	<b>1,27</b>

PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

**TUBI TONDI ANTICORODAL**

**LEGA EN AW 6060-6063-6082**

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>40</b>	<b>2,06</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>45</b>	<b>2,96</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>50</b>	<b>3,97</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>60</b>	<b>6,31</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>70</b>	<b>9,06</b>
<b>TUBO TONDO</b>	<b>25</b>	<b>x</b>	<b>80</b>	<b>12,24</b>
<b>TUBO TONDO</b>	<b>26</b>	<b>x</b>	<b>30</b>	<b>0,47</b>
<b>TUBO TONDO</b>	<b>27</b>	<b>x</b>	<b>30</b>	<b>0,36</b>
<b>TUBO TONDO</b>	<b>29</b>	<b>x</b>	<b>35</b>	<b>0,81</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>35</b>	<b>0,68</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>40</b>	<b>1,48</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>45</b>	<b>2,38</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>50</b>	<b>3,39</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>55</b>	<b>4,51</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>60</b>	<b>5,72</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>65</b>	<b>7,04</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>70</b>	<b>8,47</b>
<b>TUBO TONDO</b>	<b>30</b>	<b>x</b>	<b>80</b>	<b>11,65</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>40</b>	<b>0,79</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>45</b>	<b>1,69</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>50</b>	<b>2,71</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>55</b>	<b>3,81</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>60</b>	<b>5,03</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>65</b>	<b>6,35</b>
<b>TUBO TONDO</b>	<b>35</b>	<b>x</b>	<b>70</b>	<b>7,78</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>45</b>	<b>0,9</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

**TUBI TONDI ANTICORODAL**

**LEGA EN AW 6060-6063-6082**

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>50</b>	<b>1,91</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>55</b>	<b>3,02</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>60</b>	<b>4,23</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>65</b>	<b>5,56</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>70</b>	<b>6,99</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>80</b>	<b>10,17</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>90</b>	<b>13,77</b>
<b>TUBO TONDO</b>	<b>40</b>	<b>x</b>	<b>100</b>	<b>17,81</b>
<b>TUBO TONDO</b>	<b>45</b>	<b>x</b>	<b>50</b>	<b>1,01</b>
<b>TUBO TONDO</b>	<b>45</b>	<b>x</b>	<b>55</b>	<b>2,11</b>
<b>TUBO TONDO</b>	<b>45</b>	<b>x</b>	<b>60</b>	<b>3,33</b>
<b>TUBO TONDO</b>	<b>45</b>	<b>x</b>	<b>65</b>	<b>4,66</b>
<b>TUBO TONDO</b>	<b>45</b>	<b>x</b>	<b>70</b>	<b>6,09</b>
<b>TUBO TONDO</b>	<b>46</b>	<b>x</b>	<b>50</b>	<b>7,63</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>50</b>	<b>1,11</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>60</b>	<b>2,33</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>65</b>	<b>3,65</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>70</b>	<b>5,08</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>75</b>	<b>6,62</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>80</b>	<b>8,26</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>90</b>	<b>11,86</b>
<b>TUBO TONDO</b>	<b>50</b>	<b>x</b>	<b>100</b>	<b>15,89</b>
<b>TUBO TONDO</b>	<b>54</b>	<b>x</b>	<b>60</b>	<b>1,44</b>
<b>TUBO TONDO</b>	<b>55</b>	<b>x</b>	<b>60</b>	<b>1,21</b>
<b>TUBO TONDO</b>	<b>55</b>	<b>x</b>	<b>65</b>	<b>2,54</b>
<b>TUBO TONDO</b>	<b>55</b>	<b>x</b>	<b>70</b>	<b>3,97</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

**TUBI TONDI ANTICORODAL**

**LEGA EN AW 6060-6063-6082**

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>55</b>	<b>x</b>	<b>75</b>	<b>5,51</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>70</b>	<b>2,75</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>80</b>	<b>5,93</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>90</b>	<b>9,53</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>100</b>	<b>13,56</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>110</b>	<b>18,01</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>120</b>	<b>22,89</b>
<b>TUBO TONDO</b>	<b>60</b>	<b>x</b>	<b>140</b>	<b>33,91</b>
<b>TUBO TONDO</b>	<b>65</b>	<b>x</b>	<b>70</b>	<b>1,43</b>
<b>TUBO TONDO</b>	<b>65</b>	<b>x</b>	<b>75</b>	<b>2,96</b>
<b>TUBO TONDO</b>	<b>65</b>	<b>x</b>	<b>90</b>	<b>8,21</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>75</b>	<b>1,53</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>80</b>	<b>3,17</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>90</b>	<b>6,78</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>100</b>	<b>10,81</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>110</b>	<b>15,26</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>120</b>	<b>20,13</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>130</b>	<b>25,43</b>
<b>TUBO TONDO</b>	<b>70</b>	<b>x</b>	<b>140</b>	<b>31,15</b>
<b>TUBO TONDO</b>	<b>75</b>	<b>x</b>	<b>80</b>	<b>1,95</b>
<b>TUBO TONDO</b>	<b>75</b>	<b>x</b>	<b>85</b>	<b>1,64</b>
<b>TUBO TONDO</b>	<b>75</b>	<b>x</b>	<b>100</b>	<b>9,27</b>
<b>TUBO TONDO</b>	<b>75</b>	<b>x</b>	<b>110</b>	<b>13,72</b>
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>90</b>	<b>3,61</b>
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>100</b>	<b>7,63</b>
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>110</b>	<b>12,08</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

## TUBI TONDI ANTICORODAL

LEGA EN AW 6060-6063-6082

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>120</b>	<b>16,95</b>
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>130</b>	<b>22,25</b>
<b>TUBO TONDO</b>	<b>80</b>	<b>x</b>	<b>180</b>	<b>55,1</b>
<b>TUBO TONDO</b>	<b>85</b>	<b>x</b>	<b>90</b>	<b>1,95</b>
<b>TUBO TONDO</b>	<b>85</b>	<b>x</b>	<b>95</b>	<b>3,81</b>
<b>TUBO TONDO</b>	<b>90</b>	<b>x</b>	<b>100</b>	<b>4,02</b>
<b>TUBO TONDO</b>	<b>90</b>	<b>x</b>	<b>110</b>	<b>8,47</b>
<b>TUBO TONDO</b>	<b>90</b>	<b>x</b>	<b>120</b>	<b>13,35</b>
<b>TUBO TONDO</b>	<b>90</b>	<b>x</b>	<b>130</b>	<b>18,65</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>100</b>	<b>4,45</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>110</b>	<b>4,45</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>120</b>	<b>9,32</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>130</b>	<b>14,62</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>140</b>	<b>20,34</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>150</b>	<b>26,49</b>
<b>TUBO TONDO</b>	<b>100</b>	<b>x</b>	<b>155</b>	<b>29,72</b>
<b>TUBO TONDO</b>	<b>105</b>	<b>x</b>	<b>110</b>	<b>2,27</b>
<b>TUBO TONDO</b>	<b>110</b>	<b>x</b>	<b>120</b>	<b>4,87</b>
<b>TUBO TONDO</b>	<b>110</b>	<b>x</b>	<b>130</b>	<b>10,17</b>
<b>TUBO TONDO</b>	<b>110</b>	<b>x</b>	<b>150</b>	<b>22,04</b>
<b>TUBO TONDO</b>	<b>115</b>	<b>x</b>	<b>120</b>	<b>2,49</b>
<b>TUBO TONDO</b>	<b>115</b>	<b>x</b>	<b>155</b>	<b>22,89</b>
<b>TUBO TONDO</b>	<b>115</b>	<b>x</b>	<b>165</b>	<b>29,67</b>
<b>TUBO TONDO</b>	<b>120</b>	<b>x</b>	<b>130</b>	<b>5,29</b>
<b>TUBO TONDO</b>	<b>120</b>	<b>x</b>	<b>140</b>	<b>11,02</b>
<b>TUBO TONDO</b>	<b>120</b>	<b>x</b>	<b>150</b>	<b>17,16</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

**TUBI TONDI ANTICORODAL**

**LEGA EN AW 6060-6063-6082**

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>120</b>	<b>x</b>	<b>160</b>	<b>23,73</b>
<b>TUBO TONDO</b>	<b>120</b>	<b>x</b>	<b>200</b>	<b>55,25</b>
<b>TUBO TONDO</b>	<b>125</b>	<b>x</b>	<b>130</b>	<b>2,71</b>
<b>TUBO TONDO</b>	<b>125</b>	<b>x</b>	<b>140</b>	<b>8,42</b>
<b>TUBO TONDO</b>	<b>130</b>	<b>x</b>	<b>140</b>	<b>5,72</b>
<b>TUBO TONDO</b>	<b>130</b>	<b>x</b>	<b>150</b>	<b>11,86</b>
<b>TUBO TONDO</b>	<b>135</b>	<b>x</b>	<b>155</b>	<b>12,29</b>
<b>TUBO TONDO</b>	<b>135</b>	<b>x</b>	<b>185</b>	<b>33,91</b>
<b>TUBO TONDO</b>	<b>140</b>	<b>x</b>	<b>150</b>	<b>6,14</b>
<b>TUBO TONDO</b>	<b>140</b>	<b>x</b>	<b>160</b>	<b>12,71</b>
<b>TUBO TONDO</b>	<b>140</b>	<b>x</b>	<b>170</b>	<b>19,71</b>
<b>TUBO TONDO</b>	<b>140</b>	<b>x</b>	<b>180</b>	<b>27,12</b>
<b>TUBO TONDO</b>	<b>150</b>	<b>x</b>	<b>160</b>	<b>6,57</b>
<b>TUBO TONDO</b>	<b>150</b>	<b>x</b>	<b>170</b>	<b>13,56</b>
<b>TUBO TONDO</b>	<b>150</b>	<b>x</b>	<b>180</b>	<b>20,98</b>
<b>TUBO TONDO</b>	<b>160</b>	<b>x</b>	<b>170</b>	<b>6,99</b>
<b>TUBO TONDO</b>	<b>160</b>	<b>x</b>	<b>180</b>	<b>14,41</b>
<b>TUBO TONDO</b>	<b>160</b>	<b>x</b>	<b>200</b>	<b>30,52</b>
<b>TUBO TONDO</b>	<b>165</b>	<b>x</b>	<b>190</b>	<b>19,51</b>
<b>TUBO TONDO</b>	<b>170</b>	<b>x</b>	<b>180</b>	<b>7,41</b>
<b>TUBO TONDO</b>	<b>170</b>	<b>x</b>	<b>190</b>	<b>15,26</b>
<b>TUBO TONDO</b>	<b>170</b>	<b>x</b>	<b>200</b>	<b>23,52</b>
<b>TUBO TONDO</b>	<b>170</b>	<b>x</b>	<b>210</b>	<b>32,21</b>
<b>TUBO TONDO</b>	<b>170</b>	<b>x</b>	<b>240</b>	<b>60,82</b>
<b>TUBO TONDO</b>	<b>180</b>	<b>x</b>	<b>190</b>	<b>7,84</b>
<b>TUBO TONDO</b>	<b>180</b>	<b>x</b>	<b>200</b>	<b>16,11</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**



**HSG INDUSTRY**

Via Menotti Guzzi 2, 66100, Chieti, ITALY  
Phone: +39 – 0871/271037 FAX: +39 – 0871/271037  
E-Mail: info@hsgindustry.com

## TUBI TONDI ANTICORODAL

LEGA EN AW 6060-6063-6082

	DIAM. INT.		DIAM. EST.	PESO KG/ML
<b>TUBO TONDO</b>	<b>180</b>	<b>x</b>	<b>240</b>	<b>53,41</b>
<b>TUBO TONDO</b>	<b>185</b>	<b>x</b>	<b>220</b>	<b>30,04</b>
<b>TUBO TONDO</b>	<b>190</b>	<b>x</b>	<b>200</b>	<b>8,26</b>
<b>TUBO TONDO</b>	<b>190</b>	<b>x</b>	<b>200</b>	<b>26,06</b>
<b>TUBO TONDO</b>	<b>190</b>	<b>x</b>	<b>230</b>	<b>35,06</b>
<b>TUBO TONDO</b>	<b>200</b>	<b>x</b>	<b>210</b>	<b>8,69</b>
<b>TUBO TONDO</b>	<b>200</b>	<b>x</b>	<b>230</b>	<b>27,34</b>
<b>TUBO TONDO</b>	<b>200</b>	<b>x</b>	<b>260</b>	<b>58,49</b>
<b>TUBO TONDO</b>	<b>210</b>	<b>x</b>	<b>250</b>	<b>49,39</b>
<b>TUBO TONDO</b>	<b>220</b>	<b>x</b>	<b>280</b>	<b>63,55</b>
<b>TUBO TONDO</b>	<b>220</b>	<b>x</b>	<b>320</b>	<b>114,45</b>
<b>TUBO TONDO</b>	<b>240</b>	<b>x</b>	<b>270</b>	<b>32,42</b>
<b>TUBO TONDO</b>	<b>250</b>	<b>x</b>	<b>300</b>	<b>62,12</b>
<b>TUBO TONDO</b>	<b>250</b>	<b>x</b>	<b>310</b>	<b>72,21</b>
<b>TUBO TONDO</b>	<b>270</b>	<b>x</b>	<b>320</b>	<b>62,52</b>
<b>TUBO TONDO</b>	<b>300</b>	<b>x</b>	<b>350</b>	<b>68,88</b>
<b>TUBO TONDO</b>	<b>300</b>	<b>x</b>	<b>380</b>	<b>115,31</b>
<b>TUBO TONDO</b>	<b>340</b>	<b>x</b>	<b>400</b>	<b>94,11</b>
<b>TUBO TONDO</b>	<b>360</b>	<b>x</b>	<b>435</b>	<b>126,37</b>

**PER EVENTUALI MISURE O ESIGENZE NON IN CATALOGO, NON ESITATE A  
CONTATTARCI!!**